



REDROOM
Heating Products

APRIL 2022

**AFFORDABLE
LUXURY WITH
PRECISION
ENGINEERING**

Why buy a Redroom radiator?

- 5 year guarantee
- 2 year guarantee on electric radiators
- Steel made radiators
- Competitive prices
- Available in the most popular styles and sizes
- All outputs tested to European standard EN442
- High quality material and engineering
- All products are CE approved
- Dual Energy options

Range Overview

Redroom provide reliability and precision with every radiator. All Redroom radiators are manufactured in industry leading facilities using the highest quality materials and processes.

CONTENTS

04	Elite
06	Elite Electric
08	Omnia
12	TT
14	TT Lux
22	Azor
26	Baxx
30	Supernovar
34	Elan
40	Elan Electric
44	Accessories
46	Radiator Valves
50	Dual Energy Packs
51	How to specify your Radiator
52	Underfloor Heating
56	Thermostat Controls



All radiators EN442 tested for output



All products are CE approved



STEEL MADE RADIATORS

SLEEK METALLIC

ELITE ANTHRACITE IS THE PERFECT FEATURE RADIATOR IN A CONTEMPORARY BATHROOM.



TOWEL HOOK

Suitable for Elite and Elan Chrome
£15.60




5 Year Guarantee
 RADIATORS

Elite Anthracite

Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
ELT080040346	800	400	283	200	966	£92.65
ELT080050346	800	500	338	200	1153	£97.06
ELT080060346	800	600	394	200	1344	£105.89
ELT120040346	1200	400	402	300	1372	£126.46
ELT120050346	1200	500	480	300	1638	£130.88
ELT120060346	1200	600	557	400	1900	£138.23
ELT160050346	1600	500	644	400	2197	£179.41
ELT160060346	1600	600	755	500	2576	£186.94
ELT180050346	1800	500	735	500	2508	£197.16
ELT180060346	1800	600	854	600	2914	£204.86

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
 Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm, 500mm Wide: 456mm, 600mm Wide: 556mm | Finish: Anthracite

WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?
 Add a dual energy pack to your radiator.
 See page 50 for details



COLOUR MATCHED ANTHRACITE VALVES



Angled Round Valve Pack RRV1A Anthracite £29.95
Straight Round Valve Pack RRV2A Anthracite £29.95
Corner Round Valve Pack RRV3A Anthracite £49.92

ADJUSTABLE THERMOSTATIC CONTROLLER

WITH MULTIPLE HEATING
OPTIONS FOR A PERFECT
AMBIENT TEMPERATURE,
DAY OR NIGHT.



Elite Electric

Adjustable Thermostatic Controller Matt Black

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Price
ELTE08040MF9205	800	400	300	£286.37
ELTE12050MF9205	1200	500	750	£337.00
ELTE12060MF9205	1200	600	750	£346.30

Finish: Matt Black | Electric only

For electric only. Not connected to hot water central heating systems.
All Redroom electric radiators are IPX4 rated.

OPERATING MODES



Comfort
Set ambient
temperature
for daytime




Night
Set the
temperature
lower for
night



2 Hour Boost
Heat bathroom
rapidly or to
quickly dry
towels



**7 Day
Programmer**
Set a daily or
weekly heat
program



Adjustable thermostatic controller





**EASY TO SLIP
TOWELS ON
AND OFF**

THE OMNIA IS DESIGNED
WITH BOTH STYLE AND
FUNCTIONALITY IN MIND.



Anthracite, left hand shown



Omnia

Titane / Quartz Beige / Anthracite



Left Hand Right Hand

SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES


Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
Omnia - Left Hand						
OML120050	1161	496	547	400	1867	£293.03
OML120060	1161	596	628	400	2143	£312.22
OML170050	1681	496	778	500	2655	£352.15
OML170060	1681	596	894	600	3051	£381.42
Omnia - Right Hand						
OMR120050	1161	496	547	400	1867	£293.03
OMR120060	1161	596	628	400	2143	£312.22
OMR170050	1681	496	778	500	2655	£352.15
OMR170060	1681	596	894	600	3051	£381.42

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 41mm | Pipe centres: 50mm


Add 3 digits to the end of the product code to specify colour: Titane 335 | Quartz Beige 523 | Anthracite 346



Quartz Beige



Titane



ALSO
AVAILABLE IN
MATT BLACK
AND WHITE
ON PAGE 10

WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?
Add a dual energy pack to your radiator. See page 50 for details

STYLISH AND FUNCTIONAL

AS WELL AS LOOKING GREAT, IT IS OPEN AT ONE SIDE, MAKING IT EASY TO SLIP TOWELS ON AND OFF

SEE PAGE 46 FOR A CHOICE OF CO-ORDINATING RADIATOR VALVES

5 Year Guarantee RADIATORS


Matt Black, right hand shown



Omnia

White


Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
Omnia - Left Hand						
OML120050	1161	496	547	400	1867	£263.72
OML120060	1161	596	628	400	2143	£281.00
OML170050	1681	496	778	500	2655	£316.94
OML170060	1681	596	894	600	3051	£343.28
Omnia - Right Hand						
OMR120050	1161	496	547	400	1867	£263.72
OMR120060	1161	596	628	400	2143	£281.00
OMR170050	1681	496	778	500	2655	£316.94
OMR170060	1681	596	894	600	3051	£343.28



 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 41mm | Pipe centres: 50mm | Finish: White

Matt Black

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
Omnia - Left Hand						
OML1200500557	1161	496	547	400	1867	£293.03
OML1200600557	1161	596	628	400	2143	£312.22
OML1700500557	1681	496	778	500	2655	£352.15
OML1700600557	1681	596	894	600	3051	£381.42
Omnia - Right Hand						
OMR1200500557	1161	496	547	400	1867	£293.03
OMR1200600557	1161	596	628	400	2143	£312.22
OMR1700500557	1681	496	778	500	2655	£352.15
OMR1700600557	1681	596	894	600	3051	£381.42

 WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?
Add a dual energy pack to your radiator. See page 50 for details

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 41mm | Pipe centres: 50mm | Finish: Matt Black





EXCELLENT STYLE AND VALUE

AVAILABLE IN THREE BOLD
FINISHES TO ADD THE WOW
FACTOR TO ANY BATHROOM.

SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES



Anthracite



TT

Titane / Quartz Beige / Anthracite

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
TT07005005	675	496	347	200	1183	£147.34
TT10005005	1035	496	518	300	1766	£174.31
TT14005005	1355	496	666	500	2271	£199.42
TT14006005	1355	596	786	500	2680	£218.21
TT16005005	1635	496	795	500	2710	£218.74
TT16006005	1635	596	938	600	3198	£241.63



Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 596mm Wide: 558mm


Add 3 digits to the end of the product code to specify colour: Titane 335 | Quartz Beige 523 | Anthracite 346



Titane



Quartz Beige



WANT TO WARM
YOUR TOWELS EVEN
WHEN THE CENTRAL
HEATING IS OFF?

Add a dual energy
pack to your radiator.
See page 50 for details

**FORM,
FUNCTION,
ULTRAMODERN
FINISH**

NOW AVAILABLE IN GLISTENING
QUARTZ WHITE



Quartz White

**WANT TO WARM
YOUR TOWELS EVEN
WHEN THE CENTRAL
HEATING IS OFF?**
Add a dual energy
pack to your radiator.
See page 50 for details



TT Lux
Quartz White / Matt Black



Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
TTL07005005	675	496	347	200	1184	£159.12
TTL10005005	1035	496	518	300	1767	£188.26
TTL14005005	1355	496	666	500	2272	£215.36
TTL14006005	1355	596	786	500	2682	£235.66
TTL16005005	1635	496	795	500	2713	£236.24
TTL16006005	1635	596	938	600	3200	£260.96



Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 590mm Wide: 558mm

Add 3 digits to the end of the product code to specify colour: Quartz White 521 | Matt Black 557



SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES

Matt Black





**BOLD STYLE,
EXCEPTIONAL
VALUE**

THE TT LUX OFFERS A BESPOKE
FEEL TO ANY BATHROOM

Hammered Silver



TT Lux
Hammered Silver / Gold Look

Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
TTL14005005	1355	496	666	500	2272	£215.36
TTL16005005	1635	496	795	600	2713	£236.24

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 590mm Wide: 558mm

Add 3 digits to the end of the product code to specify colour: **Hammered Silver 422** | **Gold Look 514**




Gold Look



 5 Year
Guarantee
RADIATORS

SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES

 WANT TO WARM
YOUR TOWELS EVEN
WHEN THE CENTRAL
HEATING IS OFF?
Add a dual energy
pack to your radiator.
See page 50 for details



DESIGNED
TO BE THE
FOCAL
POINT


TREND LED FINISH AND
CONTEMPORARY DESIGN




TT Lux

Pacific Blue

Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
TTL14005005519	1355	496	666	500	2272	£215.36
TTL16005005519	1635	496	795	600	2713	£236.24

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm



 WANT TO WARM
YOUR TOWELS EVEN
WHEN THE CENTRAL
HEATING IS OFF?
Add a dual energy
pack to your radiator.
See page 50 for details

TREND LED
FINISH AND
CONTEMPORARY
DESIGN


THE FOCAL POINT OF
YOUR BATHROOM




TT Lux

Blush Pink

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
TTL14005005168	1355	496	666	500	2272	£215.36
TTL16005005168	1635	496	795	600	2713	£236.24

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm



 WANT TO WARM
YOUR TOWELS EVEN
WHEN THE CENTRAL
HEATING IS OFF?
Add a dual energy
pack to your radiator.
See page 50 for details



STYLISH AND MODERN

EXCELLENT HEAT OUTPUT
DUE TO THEIR LARGER
SURFACE AREA.



SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES



Chrome

Azor Chrome




Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
AZOC08050	800	500	203	100	689	£258.43
AZOC120050	1200	500	302	150	1034	£338.27
AZOC160050	1600	500	395	300	1344	£456.06

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 65mm | Pipe centres: 468mm | Finish: Chrome

White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
AZO080050	800	500	324	200	1105	£210.67
AZO120050	1200	500	476	300	1624	£270.00
AZO160050	1600	500	647	500	2208	£367.50

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 65mm | Pipe centres: 468mm | Finish: White



WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?
Add a dual energy pack to your radiator. See page 50 for details



White




EXCEPTIONALLY STYLISH


HIGHER HEAT OUTPUT THAN CHROME PROVIDING YOU WITH MORE WARMTH AND BETTER HEAT EFFICIENCY.



Azor Anthracite

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
AZO080050346	800	500	324	200	1105	£216.64
AZO120050346	1200	500	476	300	1624	£285.06
AZO160050346	1600	500	647	500	2208	£391.45

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 65mm | Pipe centres: 468mm | Finish: Anthracite



ANTHRACITE

HIGHER HEAT OUTPUT THAN CHROME - PROVIDES MORE WARMTH AND IS MORE HEAT EFFICIENT



COLOUR MATCHED ANTHRACITE VALVES



Angled Round Valve Pack
RRV1A Anthracite £29.95



Straight Round Valve Pack
RRV2A Anthracite £29.95




Corner Round Valve Pack
RRV3A Anthracite £49.92

 WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?
Add a dual energy pack to your radiator. See page 50 for details



WOW FACTOR

SQUARE STYLING AND BOLD DESIGN ADD THE WOW FACTOR TO YOUR MODERN BATHROOM.




Baxx Chrome



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
BAXC080050	800	500	197	100	672	£247.06
BAXC100050	1000	500	249	150	850	£288.84
BAXC120050	1200	500	301	200	1027	£334.45
BAXC140050	1400	500	346	200	1181	£391.45
BAXC160050	1600	500	391	200	1334	£448.44

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 65-90mm | Pipe centres: 470mm | Finish: Chrome



WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?
Add a dual energy pack to your radiator. See page 50 for details

COLOUR MATCHED CHROME VALVES

Angled Square Valve Pack RRV4C Chrome £48.67	Straight Square Valve Pack RRV5C Chrome £48.67	Corner Square Valve Pack RRV6C Chrome £62.40




**STUNNING
RADIATOR**


BAXX ANTHRACITE IS THE
IDEAL CHOICE FOR MODERN
NEUTRAL COLOUR SCHEMES.



Baxx Anthracite

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
BAX080050346	800	500	306	200	1044	£220.64
BAX100050346	1000	500	384	200	1310	£262.14
BAX120050346	1200	500	461	300	1573	£305.12
BAX140050346	1400	500	537	300	1832	£363.19
BAX160050346	1600	500	612	400	2088	£408.50

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 65-90mm | Pipe centres: 470mm | Finish: Anthracite



ANTHRACITE

HIGHER HEAT OUTPUT
THAN CHROME - PROVIDES
MORE WARMTH AND IS
MORE HEAT EFFICIENT

 **WANT TO WARM
YOUR TOWELS EVEN
WHEN THE CENTRAL
HEATING IS OFF?**

Add a dual energy
pack to your radiator.
See page 50 for details

SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES




**MODERN
SPACE
SAVING
STYLE**



SuperNovar vertical White




Code	Height (mm)	Width (mm)	Watts $\Delta T50$	BTU $\Delta T50$	Price
Single Panel					
SNV180029	1800	296	568	1938	£262.50
SNV180044	1800	444	852	2907	£351.17
SNV180059	1800	592	1136	3876	£439.84
Double Panel					
SNVD180029	1800	296	836	2852	£424.67
SNVD180044	1800	444	1254	4279	£585.67
SNVD180059	1800	592	1672	5705	£746.66

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
 **Pipe centres from wall:** Single 42mm, Double 66mm **Pipe centres:** 296mm Wide: 247mm / 444mm Wide: 395mm / 592mm Wide: 543mm | **Finish:** White



Double Panel



TOWEL HOOK

Magnetic fixing
Chrome
£34.80




**MODERN
FUNCTIONAL
COLUMN
DESIGN**


**TOWEL
RAIL**
400mm Chrome
Magnetic fixing
£115.20



SuperNovar Horizontal White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	BTU $\Delta T50$	Price
Single Panel					
SNH059080	592	800	532	1815	£269.50
SNH059100	592	1000	665	2269	£299.83
SNH059120	592	1200	798	2723	£330.17
Double Panel					
SNHD059060	592	600	641	2187	£392.00
SNHD059080	592	800	855	2917	£443.33
SNHD059100	592	1000	1069	3647	£495.83
SNHD059120	592	1200	1283	4378	£548.33


Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
 **Pipe centres from wall:** Single 42mm, Double 66mm **Pipe centres:** 600mm Wide: 532mm / 800mm Wide: 732mm / 1000mm Wide: 932mm / 1200mm Wide: 1132mm | **Finish:** White



**TOWEL
HOOK**
Magnetic fixing
Chrome
£34.80



Double Panel



Magnetic Hangy Towel Hook



GOOD LOOKS

THE ELAN STRAIGHT'S CONTEMPORARY STYLING LOOKS GOOD IN ANY BATHROOM.



HOOKY TOWEL HOOK


Suitable for Elite and Elan Chrome
£15.60




Elan Straight Chrome



Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
ELNC060040	600	400	151	100	515	£138.00
ELNC060080	600	800	280	100	955	£222.00
ELNC060100	600	1000	345	100	1177	£237.60
ELNC080040	800	400	177	100	604	£120.31
ELNC080050	800	500	218	150	744	£126.72
ELNC080060	800	600	258	150	880	£134.76
ELNC100050	1000	500	287	150	979	£170.40
ELNC120040	1200	400	260	200	887	£173.26
ELNC120050	1200	500	315	200	1075	£179.66
ELNC120060	1200	600	370	300	1262	£187.68
ELNC160030	1600	300	300	200	1024	£208.80
ELNC160050	1600	500	427	300	1457	£256.68
ELNC160060	1600	600	506	300	1726	£263.11
ELNC180030	1800	300	320	200	1092	£230.40
ELNC180050	1800	500	484	300	1651	£285.55
ELNC180060	1800	600	574	400	1958	£293.57
ELNC180075	1800	750	741	400	2527	£315.60

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
 **Pipe centres from wall: 75-85mm** **Pipe centres: 400mm** **Wide: 356mm / 500mm** **Wide: 456mm / 600mm** **Wide: 556mm** | **Finish: Chrome**

ALSO AVAILABLE IN ELECTRIC - SEE PAGE 40



COLOUR MATCHED CHROME VALVES



Angled Round Valve Pack
RRV1C Chrome £27.46



Straight Round Valve Pack
RRV2C Chrome £27.46



Corner Round Valve Pack
RRV3C Chrome £47.42

 **WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?**
Add a dual energy pack to your radiator. See page 50 for details



MORE WARMTH

WHITE RADIATORS GIVE UP TO 30% MORE HEAT OUTPUT THAN CHROME.




Elan Straight

White




Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
ELN080040	800	400	283	200	966	£101.06
ELN080050	800	500	338	200	1153	£105.89
ELN080060	800	600	394	200	1344	£115.51
ELN120040	1200	400	402	300	1372	£137.95
ELN120050	1200	500	480	300	1638	£142.78
ELN120060	1200	600	557	400	1900	£150.79
ELN160050	1600	500	644	400	2197	£195.72
ELN160060	1600	600	755	500	2576	£203.93
ELN180050	1800	500	735	500	2508	£215.09
ELN180060	1800	600	854	600	2914	£223.49

 Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
Pipe centres from wall: 75-85mm **Pipe centres:** 400mm Wide: 356mm / 500mm Wide: 456mm / 600mm Wide: 556mm | **Finish:** White

 **WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?**
 Add a dual energy pack to your radiator.
 See page 50 for details

SEE PAGE 46 FOR A CHOICE OF CO-ORDINATING RADIATOR VALVES



COLOUR MATCHED WHITE VALVES



Angled Round Valve Pack
RRV1W White £29.95

Straight Round Valve Pack
RRV2W White £29.95

Corner Round Valve Pack
RRV3W White £49.92

EXTRA SPACE


WITH SLIGHTLY BOWED RAILS,
THE ELAN CURVED IN
WHITE AND CHROME
OFFERS EXTRA SPACE TO
HANG YOUR TOWELS.

SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES

5 Year
Guarantee
RADIATORS

Elan Curved Chrome


Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
ELNTC080050	800	500	218	150	744	£131.54
ELNTC080060	800	600	258	150	880	£139.56
ELNTC120050	1200	500	315	200	1075	£184.49
ELNTC120060	1200	600	370	200	1262	£192.50
ELNTC180050	1800	500	484	300	1651	£290.38
ELNTC180060	1800	600	574	400	1958	£299.98

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
 **Pipe centres from wall:** 60-75mm **Pipe centres:** 500mm **Wide:** 456mm / 600mm **Wide:** 556mm
Finish: Chrome

White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Dual Energy (optional)	BTU $\Delta T50$	Price
ELNT080050	800	500	338	200	1153	£112.30
ELNT080060	800	600	394	200	1344	£120.31
ELNT120050	1200	500	490	300	1672	£149.18
ELNT120060	1200	600	557	400	1900	£157.22
ELNT180050	1800	500	725	500	2474	£221.38
ELNT180060	1800	600	854	600	2914	£229.42

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.
 **Pipe centres from wall:** 60-75mm **Pipe centres:** 500mm **Wide:** 456mm / 600mm **Wide:** 556mm |
Finish: White



 **WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF?**
 Add a dual energy pack to your radiator. See page 50 for details



**ADJUSTABLE
THERMOSTATIC
CONTROLLER**

WITH MULTIPLE HEATING
OPTIONS FOR A PERFECT
AMBIENT TEMPERATURE,
DAY OR NIGHT.




Elan Electric

Adjustable Thermostatic Controller Chrome

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Price
ELNEC12050MF	1200	500	300	£442.80
ELNEC12060MF	1200	600	400	£454.80

Finish: Chrome | Electric only

For electric only. Not connected to hot water central heating systems.
All Redroom electric radiators are IPX4 rated.



OPERATING MODES



Comfort
Set ambient temperature for daytime



Night
Set the temperature lower for night



2 Hour Boost
Heat bathroom rapidly or to quickly dry towels



7 Day Programmer
Set a daily or weekly heat program



Adjustable thermostatic controller



**PERFECT FOR
THE MODERN
HOME**

EASY TO INSTALL AND ENERGY
EFFICIENT AND HEAT YOUR
TOWELS WHEN YOUR CENTRAL
HEATING IS OFF.




Elan Electric

Simple Immersion Heater


Chrome



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Price
ELNEC08040F	821	400	150	£317.54
ELNEC09050F	941	500	200	£324.89
ELNEC12050F	1261	500	200	£382.22
ELNEC12060F	1261	600	300	£386.66
ELNEC18050F	1901	500	400	£476.30
ELNEC18060F	1901	600	500	£482.88

 Finish: Chrome | Electric only

All Redroom electric radiators are IPX4 rated.





PRACTICAL SOLUTIONS THAT LOOK GREAT TOO!



Accessories



Hangy Magnetic Towel Hook
HAG2C Magnetic Fixing Chrome £34.80
Max weight capacity 3KG



Handy Magnetic Towel Rail
HDY1C 380mm (Overall length 440mm) Chrome £115.20
Max weight capacity 5KG



Hangy Towel Hook
HAG1C Clamp Fixing Chrome £13.20



Hooky Towel Hook
HOO3C Suitable for Elite and Elan Chrome £15.60

Valves

Match your valves to your radiator. The Redroom radiator valves are available in a variety of styles and finishes for you to choose from and come with a 2 year guarantee.



CHOOSE FROM A VARIETY OF FINISHES AND STYLES

MATCH YOUR VALVES TO YOUR RADIATOR

Round Manual Radiator Valves 15mm



Angled Round Valve Pack
15mm
RRV1C Chrome £27.46



Straight Round Valve Pack
15mm
RRV2C Chrome £27.46



Corner Round Valve Pack
15mm
RRV3C Chrome £47.42



Chrome



Angled Round Valve Pack
15mm
RRV1A Anthracite £29.95



Straight Round Valve Pack
15mm
RRV2A Anthracite £29.95



Corner Round Valve Pack
15mm
RRV3A Anthracite £49.92



Anthracite



Angled Round Valve Pack
15mm
RRV1B Black £29.95



Straight Round Valve Pack
15mm
RRV2B Black £29.95



Corner Round Valve Pack
15mm
RRV3B Black £49.92



Black



Angled Round Valve Pack
15mm
RRV1V Volcanic £29.95



Straight Round Valve Pack
15mm
RRV2V Volcanic £29.95



Corner Round Valve Pack
15mm
RRV3V Volcanic £49.92



Volcanic



Angled Round Valve Pack
15mm
RRV1W White £29.95



Straight Round Valve Pack
15mm
RRV2W White £29.95



Corner Round Valve Pack
15mm
RRV3W White £49.92



White



Angled Round Valve Pack
15mm
RRV1N Brushed Nickel £41.39



Straight Round Valve Pack
15mm
RRV2N Brushed Nickel £41.39



Corner Round Valve Pack
15mm
RRV3N Brushed Nickel £58.19



Nickel

Colour keys are for guidance only and are not representative of the actual colour.

Square Manual Radiator Valves 15mm



Angled Square Valve Pack
15mm
RRV4C Chrome £48.67



Straight Square Valve Pack
15mm
RRV5C Chrome £48.67



Corner Square Valve Pack
15mm
RRV6C Chrome £62.40

Period Style Thermostatic Radiator Valves 15mm



Classic Angled Thermostatic Valve Pack
15mm
RRCLV1C Chrome £78.98



Classic Angled Thermostatic Valve Pack
15mm
RRCLV1SN Satin Nickel £78.98



Classic Angled Thermostatic Valve Pack
15mm
RRCLV1AB Antique Brass £94.79



Classic Angled Thermostatic Valve Pack
15mm
RRCLV1CO Copper £104.39



Traditional Straight Thermostatic Valve Pack
15mm
RRT1C Chrome £98.99



Traditional Straight Thermostatic Valve Pack
15mm
RRT1N Nickel £98.99



Traditional Straight Thermostatic Valve Pack
15mm
RRT1B Antique Brass £98.99



Traditional Straight Thermostatic Valve Pack
15mm
RRT1CO Copper £104.99



Angled Round Black Valves

Thermostatic Radiator Valves 15mm



Angled Thermostatic Valve Pack
15mm
RRV7C Chrome **£69.89**



Straight Thermostatic Valve Pack
15mm
RRV8C Chrome **£69.89**



Corner Thermostatic Valve Pack
15mm
RRV9C Chrome **£69.89**



Chrome



Angled Thermostatic Valve Pack
15mm
RRV7B Black **£72.38**



Straight Thermostatic Valve Pack
15mm
RRV8B Black **£72.38**



Corner Thermostatic Valve Pack
15mm
RRV9B Black **£74.88**



Black



Angled Thermostatic Valve Pack
15mm
RRV7V Volcanic **£72.38**



Straight Thermostatic Valve Pack
15mm
RRV8V Volcanic **£74.88**



Corner Thermostatic Valve Pack
15mm
RRV9V Volcanic **£74.88**



Volcanic



Angled Thermostatic Valve Pack
15mm
RRV7W White **£72.38**



Straight Thermostatic Valve Pack
15mm
RRV8W White **£74.88**



Corner Thermostatic Valve Pack
15mm
RRV9W White **£74.88**



White



Angled Thermostatic Valve Pack
15mm
RRV7N Nickel **£77.39**



Straight Thermostatic Valve Pack
15mm
RRV8N Nickel **£77.39**



Corner Thermostatic Valve Pack
15mm
RRV9N Nickel **£74.88**



Nickel

Colour keys are for guidance only and are not representative of the actual colour.

Accessories



300mm 15mm Pipe and Rosettes
15mm
RRP1 Chrome **£18.72**



300mm Black 15mm Pipe and Rosettes
15mm
RRP1B Black **£23.40**



Angled Square Chrome Valves



Dual Energy Packs

Do you still want to warm your towels even when the central heating is turned off?

You can add one of these great dual energy packs to your radiator to allow you to control it electrically when the central heating is off.

Code	Description	Price
DEPACK100	100W Element Length 300mm	£150.00
DEPACK150	150W Element Length 300mm	£150.00
DEPACK200	200W Element Length 340mm	£150.00
DEPACK300	300W Element Length 400mm	£150.00
DEPACK400	400W Element Length 500mm	£150.00
DEPACK500	500W Element Length 580mm	£150.00
DEPACK600	600W Element Length 650mm	£150.00

THE DEPACK IS BARELY VISIBLE WHEN FITTED



All Redroom radiators have the CE mark, having been independently tested in accredited laboratories to EN442 in accordance with CE requirements. This means our published heat output figures are fully in line with the testing criteria. You can therefore specify the size of your radiator with the assurance that your choice will perform as stated, making Redroom radiators the obvious choice.

? How?

1. Turn off connection to central heating, so the water within the radiator is isolated.
2. Switch on Depack, so your radiator will be heated electrically.
3. Enjoy warm towels all year long even when the central heating is off.

How to specify your Radiator

Step 1

To start with, you need to find out the heat requirement of the room in Watts. To calculate this as a rough guide, allow 50 watts per cubic metre of the room. You should also consult with a heating engineer for the exact requirement. If you would like to change the watts into BTUs, multiply the watt amount by 3.412.

Step 2

Choose the location of the radiator and figure out any restrictions that could occur, for example height if the radiator is going to be fitted under a window.

Step 3

Browse through this catalogue and choose the perfect radiator for your dream bathroom. For more information speak to your local retailer or heating engineer.

Secondary heat source

Does your radiator meet the room's heat requirement?

Depending on the size of your bathroom and type of radiator you want, you may need a secondary heat source.

If necessary you can add an extra radiator or underfloor heating to make sure your room is sufficiently heated.



Underfloor Heating

Add luxurious comfort to your home with Redroom underfloor heating. Perfect for heating all areas of your house, but particularly suited to kitchens and bathrooms.

All mats are installed with a choice of three stylish digital thermostats that have energy saving functions to help reduce heating costs.

Available in a range of sizes, the self-adhesive mesh can easily and quickly be fitted directly onto concrete or insulation boards to provide an even spread of heat.

Energy Efficiency



Radiators generate warmth around and above the radiator



Underfloor heating provides the ultimate comfort with heat rising up from the floor where you need it the most

Underfloor heating mats



100 Watt Underfloor Heating Mats

Code	Description	Price
UHF1	1.0m2 100W	£76.69
UHF15	1.5m2 150W	£83.40
UHF2	2.0m2 200W	£98.90
UHF25	2.5m2 250W	£115.91
UHF3	3.0m2 300W	£148.33
UHF35	3.5m2 350W	£159.40
UHF4	4.0m2 400W	£179.58
UHF5	5.0m2 500W	£224.50
UHF6	6.0m2 600W	£269.36
UHF7	7.0m2 700W	£314.24
UHF8	8.0m2 800W	£359.18
UHF9	9.0m2 900W	£380.53
UHF10	10m2 1000W	£415.62
UHF12	12m2 1200W	£470.21

Suitable to go directly onto a prepared wooden floor. IPX7, 230V, cable thickness 4mm, 500mm width. Each installation requires a thermostat controller.

150 Watt Underfloor Heating Mats

Code	Description	Price
HHF1	1.0m2 150W	£78.89
HHF15	1.5m2 225W	£85.78
HHF2	2.0m2 300W	£106.82
HHF25	2.5m2 375W	£125.16
HHF3	3.0m2 450W	£160.24
HHF35	3.5m2 525W	£172.15
HHF4	4.0m2 600W	£193.94
HHF5	5.0m2 750W	£242.44
HHF6	6.0m2 900W	£290.94
HHF7	7.0m2 1050W	£339.41
HHF8	8.0m2 1200W	£387.92
HHF9	9.0m2 1350W	£430.08
HHF10	10m2 1500W	£477.86
HHF12	12m2 1800W	£543.43

Suitable to go directly onto a concrete subfloor or timber subfloor covered with insulation boards. IPX7, 230V, cable thickness 4mm, 500mm width. Each installation requires a thermostat controller.



Heating Mats

- Suitable for tiled, laminate and wood floors
- Energy efficient
- Produces around 80% less dust
- Self-adhesive
- Saves on space and no exposed pipes
- Quick and easy to install
- Suitable for small and large areas
- 12 year guarantee on mats

EACH INSTALLATION REQUIRES A THERMOSTAT CONTROLLER



TURN TO PAGE 56 TO CHOOSE YOURS

Underfloor Heating Cable & Membrane

EACH INSTALLATION
REQUIRES A
THERMOSTAT
CONTROLLER
TURN TO PAGE 56
TO CHOOSE YOURS

Underfloor Decoupling Membrane - Features and Benefits

- Quick and easy to install and use
- Cost effective
- Space saver – When used as a primary heat source you don't need radiators, freeing up precious wall space
- Ideal for tiled floors. Also suitable for laminate and wood floors
- Designed to secure heating cable as well as act as a decoupling membrane.
- Neutralises tensions between substrate and tiles, reducing cracking as the floor settles/moves
- Fully customisable
- Fit with flexible tile adhesive (not provided) and no levelling compound required

EASY TO
INSTALL
AND TILE
ONTO

As easy as 1,2,3

Combining underfloor heating and antifracture mat, this brilliant new product from Redroom could save you significant money and time in fitting. It really is as easy as 1,2,3



Step 1

Redroom decoupling membrane goes down on the floor.



Step 2

Underfloor heating wire is spaced out within the guides on the membrane.



Step 3

It's now ready for tiling and as you would expect the membrane gives ultimate antifracture protection against tiles cracking that may occur due to settling and movement of the substrate underneath.



Time saving is a key benefit with this product, but what's more, the membrane offers a high level of protection against accidental damage plus it gives the installer a template for very accurate and consistent spacing. If you use underfloor heating, this is the product you need in your life.

Decoupling Membrane Rolls

Code	Description	Price
UFMEM1	5m ² Membrane Roll	£132.54
UFMEM2	15m ² Membrane Roll	£397.62

Polypropylene membrane with rounded square shaped studs that form channels specifically designed to embed and fasten electric heating cables. Suitable to go directly onto a concrete subfloor or timber subfloor covered with insulation boards.



Heating Cable for Membrane

Code	Description	Price
UFW1	10m Cable	£125.16
UFW2	20m Cable	£136.87
UFW3	28m Cable	£162.82
UFW4	41m Cable	£201.01
UFW5	50m Cable	£245.28
UFW6	57m Cable	£291.18
UFW7	70m Cable	£296.58
UFW8	81m Cable	£318.00
UFW9	90m Cable	£357.36
UFW10	100m Cable	£368.82
UFW11	129m Cable	£421.20
UFW12	142m Cable	£428.70
UFW13	165m Cable	£482.10

IPX7, 230V, cable thickness 4mm. Cold tail length 2.3m. 12 year guarantee. Each installation requires a thermostat controller.

Primary Heat = 150W/m² at 2 studs apart
Secondary Heat = 100W/m² at 3 studs apart
0.5m² area needs 10m linear cable

Thermostat Controls



EACH UNDERFLOOR HEATING INSTALLATION REQUIRES A THERMOSTAT CONTROLLER

Touch Thermostat Control

Code	Description	Price
HFT1	Large LED backlit display with air and floor sensor. 7 day, 6 period programme, Frost protection mode, Screen lock, 2 Year Warranty	£111.55



TouchPlus Thermostat Control

Code	Description	Price
HFT2	Sleek black design, LED display with air and floor sensor. 7 day, 6 period programme, Frost protection, Screen lock, 2 Year Warranty	£160.06



Wifi Enabled Thermostat Control

Code	Description	Price
HFT3	Large LED backlit display with air and floor sensor. 7 day, 6 period programme, Wifi enabled, Frost protection, Screen lock, 2 Year Warranty, Controlled via App	£206.75

Technical Data	
Supply Voltage	220-240V ~
Power Output	100W/m ² @230V ~ / 150W/m ² @230V ~
Width	500mm
Construction	Round, twin conductor with 360° screen, one cold tail
Max Ambient Temp	65°C
Cable Thickness	4mm
Deformation Strength	600N
Pulling Strength	120N
Conductor Insulation	FEP
Outer Sheath	PVC
Screen	100% coverage, alu-foil, 0.5mm ² tinned copper drain wire
Cold Lead	4m DTWB, 2x1.0mm ² earthed
Min Installation Temp	-5°C
Bending Radius	6 x Ø
IP Class	IPX7





WIFI ENABLED

Thermostat Controls

- Quick and easy to install
- Energy efficient
- Option of Wi-Fi thermostat – you can control your heating even when away from home
- Suitable for small and large areas
- 2 year guarantee on thermostats

Notes



Your Local Supplier



www.redroomheating.co.uk

Distributed by Barwick Bathroom Distribution LLP
We reserve the right to alter or amend product
details without prior notice.

All dimensions are nominal. Errors and omissions
excepted. All prices are inclusive of VAT at 20%